AMENDMENTS TO THE CLAIMS

1-7 (Cancelled).

- 8. (Currently Amended) [[A]] The method of Claim 4-claim 11, wherein said centrifuging of step (c) is a soft spin.
- 9. (Currently Amended) [[A]] The method of Claim-5-claim 14, wherein said centrifuging of step (e) is a heavy spin.

10. (Cancelled).

- 11. (Previously Presented) A method of collecting and separating a patient's blood and recovering a platelet-rich concentrate comprising:
- (a) collecting the patient's blood using a needle set comprising a hollow needle having attached tubing and a fitting adapted to engage a first port in an elongated container fitted with a movable plunger having a second port therein;
 - (b) transferring said blood through said first port into said elongated container;
- (c) centrifuging said blood in said container and separating said blood into platelet-rich plasma and red blood cells;
- (d) displacing the red blood cells separated in (c) from said container by moving said plunger towards said first port and expelling said red blood cells into a waste bag through tubing attached to said first port;
- (e) removing said waste bag of (d) and centrifuging said platelet-rich plasma remaining in said container and separating a platelet-rich concentrate from a platelet-poor plasma;
- (f) attaching a hollow plunger rod having a third port therein to said plunger and displacing the platelet-poor plasma separated in (e) from said container by moving said plunger towards said first port and expelling said platelet-poor plasma through said second port of said plunger and said third port of said plunger rod into a waste bag attached to the plunger rod;
- (g) recovering the platelet-rich concentrate separated in (e) and remaining in said container; and

wherein displacing said red blood cells, platelet-rich plasma, and platelet-poor plasma is carried out automatically in centrifuge equipment having facilities for opening said ports.

12. (Currently Amended) [[A]] The method of Claim-4-claim 11 wherein said elongated container contains a small amount of a blood anti-coagulant.

13. (Cancelled).

- 14. (Currently Amended) A method of elaim 5 collecting and separating a patient's blood and recovering a platelet-rich concentrate comprising:
- (a) collecting the patient's blood using a needle set comprising a hollow needle having attached tubing and a fitting adapted to engage a first port in an elongated container fitted with a movable plunger having a second port therein;
 - (b) opening a valve positioned within the first port;
- (c) transferring said blood through said first port into said elongated container by moving the plunger away from the first port;
 - (d) closing the valve;
- (e) centrifuging said blood in said container and separating said blood into platelet-poor plasma, red blood cells, and platelet-rich concentrate;
- (f) displacing the red blood cells separated in (e) from said container by moving said plunger towards said first port and expelling said red blood cells into a waste bag through tubing attached to said first port;
- (g) removing said waste bag of (f) and attaching a hollow plunger rod having a third port therein to said plunger and displacing the platelet-poor plasma separated in (c) from said container by moving said plunger toward said first port and expelling said platelet-poor plasma through said second port of said plunger and said third port of said plunger rod into a waste bag attached to the plunger rod; and
- (h) recovering the platelet-rich concentrate separated in (e) and remaining in said container,

wherein displacing said red blood cells, platelet-rich plasma, and platelet-poor plasma is carried out automatically in centrifuge equipment having facilities for opening said ports.

Application No. 10/784,336

Response to Final Office Action Dated April 30, 2008

- 15. (Currently Amended) [[A]] The method of Claim 5 claim 14 wherein said elongated container contains a small amount of a blood anti-coagulant.
- 16. (Currently Amended) A method of collecting and separating a patient's blood and recovering a platelet-rich concentrate comprising:
- (a) collecting the patient's blood using a needle set comprising a hollow needle and a fitting adapted to engage a first port in a container fitted with a movable plunger having a second port therein;
- (b) transferring said blood through said first port into said container by moving the plunger away from the first port;
- (c) centrifuging said blood in said container and separating said blood into platelet-rich plasma and red blood cells;
- (d) displacing the red blood cells from said container by moving said plunger towards said first port and expelling said red blood cells through said first port;
- (e) centrifuging said platelet-rich plasma remaining in said container and separating a platelet-rich concentrate from a platelet-poor plasma;
- (f) attaching a hollow plunger rod having a third port therein to said plunger and displacing the platelet-poor plasma from said container by moving said plunger towards said first port and expelling said platelet-poor plasma through said second port of said plunger and said third port of said plunger rod; and
- (g) recovering the platelet-rich concentrate,

 wherein displacing said red blood cells is carried out automatically in centrifuge equipment having facilities for opening said ports.
- 17. (Currently Amended) The method of claim [[4]] 11, wherein the first port includes a valve, the method further comprising opening the valve prior to the act of transferring said blood.
- 18. (Previously Presented) The method of claim 16, wherein the first port includes a valve, the method further comprising opening the valve prior to the act of transferring said blood.

4